HOT TOOL FAMOUS TOLEDO EXCELLENCE BY DESIGN

\$52.00

\$52.00

\$52.00

Tip PRICE

0

0

0 \$29.00

\$24.00

\$24.00

320994

FOLLOW US ON **F**





- Damage free removal of trim and clips
- Specialty steel with ergonomic acetate handle • 5 - 7mm and 6 - 9mm





Drive Shaft Removal Fork Set

- 2 Piece 306990 350mm
- For the removal of drive shafts in most front wheel drives

321510

321511

• Fork Capacity: 50mm



FAMOUS TOLEDO EXCELLENCE BY DESIGN

NEW Hex Key Sets

Long arm for leverage, short arm for tight spaces

Heavy-duty SNCM-V steel with UltraShield finish

Hex Key Sets - Ball Point (9-Piece)

Size Range Stubby Metric 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm

Long Metric 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm

Size Range

320995 9 piece Imperial 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

T9, T10, T15, T20, T25, T27, T30, T40

Ergonomic dual-composite handle

 Blade separators for easy access Durable heavy-duty steel

320994 8 piece Metric 1.5, 2, 2.5, 3, 4, 5, 6, 8mm

320993 Long Imperial 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

Ball end allows 25° angled access

Chamfered, precise tips

Folding Key Sets 180° rotating blades

Description

320996 8 piece Star

320991

320992

Part No.

TORQUE

- For the removal and installation of ball joints including brake anchor pins and tail shaft U joints Universal tool applicable for AWD, FWD & RWD passenger and light commercial vehicles
- Includes various sleeves and adaptors for pressing or to draw bushes
- Max load: 4 tonnes

\$**69**.00



Indent Crimpers

- Crimps round barrel contacts, pins or sockets Built in locator ensures accurate positioning of the
- Handy tool for Harley-Davidson and Caterpillar mechanics

Type AWG 26-20, 0.14-0.5mm² AWG 20-12, 0.5-4.0mm

AWG 12-14, 4.0 - 2.5mm²

Cleaning Gun 305168 High Velocity

- Ideal for various cleaning applications including
- vehicle interior & exterior detailing, floor mats, upholstery, door jams and engine bay detailing
- The cleaning solution combined with the fine mist agitates and lifts dirt and grime without saturating
- the surface
- Capacity: 1 Litre

A 793 . 00	*
NEW!	
 Technician's Knives Designed for electricians and technicians 	
• Suitable for heavy duty cutting including wire insulation, rope	

- twine, belting, hoses, leather,
- linoleum, carpet and tape • Folding design for portability
- and safety
- Features safety locks that auto deploy when opened

Part No.	Blade Style	Blade Length	PRICE
321510	Utility Blade (Trapezoid)	60mm	\$35.00
321511	Hawkbill	70mm	\$43.00

\$**99**.00

TOLEDO

Cylinder Head Straight Edge 322560

- Professional straight edge tool for inspecting distorted cylinder heads and engine blocks
- Manufactured from heavy duty rolled steel
- Overall length: 610mm
- Thickness: 6mm
- Width: 50mm



Made in Japan

TOLEDO

Torque Wrenches

durability

301097

301098

301099⁺

301349*

torque settings

Part No. Sg. Dr Length

1/4″

3/8

1/2′

3/4″

Centre Punch

321040 Automatic 160mm

• Simply adjust to desired spring

tension, press firmly against work

piece for automatic centre punch

• Click-stop design for superior strength and

• Micrometer style adjuster enables precise

280mm

470mm

Dual Scale

7-108 Nm/5-80Ft.Lbs

470mm 14-203 Nm/10-150Ft.Lbs \$109.00

675mm 68-406 Nm/50-300Ft.Lbs \$215.00

2-24 Nm/10-212 In.Lbs **\$109.00**

PRICE

\$109.00

HOT TOOL SPECIALS · AVAILABLE 1 JUL - 30 SEP 2025 · ALL PRICES INCLUDE GST

\$149^{.00} NEW

320992

320995

320996



Part No. 321024 321025

321093

321094

321854

pin and socket prior to crimping AWG 16-18, 1.5-1.0mm AWG 20-22, 0.5-0.3mm²

HOT TOOL SPECIALS FAMOUS OI FDO EXCELLENCE BY DESIGN

AUTOMOTIVE · AUTOMOTIVE

\$309^{.00} NEW!

Brake Anchor Pin Press 245505

- Firm close-packed C-frame design allows service to anchor pins and bushes without removing hubs and heat shields
- Capacity: 53mm



\$79.00 NEW!

Wire Insertion Tool Set 302049 5 Piece

- Ideal for feeding wire through protective sheaths, firewalls and interior door trims
- Overall Lengths: 100 and 200mm
- Extension Openings: 6 and 11mm
- - Pliers 302124 200mm Unlocks and removes push tab connectors • Reach: 70mm • Jaw opening: 0-50mm Overall length: 200mm

\$**39**.00

Part No.

301044

301046

Cylinder Hones

Engine Cylinder Hone Triple Leg • This comprehensive specialist

tool is designed for honing and deglazing engine cylinder bores

long, medium grit hone stones

remove glaze in engine bores

Overall length

365mm

210mm

Electrical Disconnect

Bore capacity

50-135mm

25-64mm

M

PRICE

\$77.00

\$21.00

• Three legs featuring 100mm

\$**Q**.00

Windscreen Washer Tool Nozzle Cleaning Needle 301164 • Universal double ended windscreen washer jet

cleaning and adjustment tool • Handy pocket clip style with knurled body Overall length: 95mm, Needle size: Ø0.60mm



Engine Oil Pressure Test Kit 304512

• Suitable for diagnosing low engine oil pressure issues and

• Includes adaptors: 3/8" NPT, 1/4" NPT, M8, M10, 1/8" NPT

Q.00

^{\$}124^{.00} **NEW!**

Exhaust Gas Temperature **Sensor Socket Set** 301561 6 Piece

- Specific socket set for removing exhaust gas
- temperature sensors (EGT) Includes single hex sockets
- in offset shallow and straight deep configuration
- Square drive: 3/8"
- Size: 13, 14, 17mm

\$**49**.00 NEW!

Wiper Arm Puller

- 304997 Adjustable Ideal for removing
- stubborn wiper arms
- Spread: 15-40mm • Reach: 38mm



^{\$}219^{.00}

Drive Pulley

Spanner Set 304047 15pc

- Ideal for holding, removing and tightening damper, crank, power steering pump, alternator, radiator fans and difficult to access pulleys
- Metric 12 Pt: 12, 13, 14, 15, 16, 17, 18, 19mm
- E-Star: E10, E12, E14, E16, E18
- Overall length: 440mm



Low Pressure **Fuel Tester**

- 307019 Diesel • Professional kit designed for inspecting and diagnosing
- low-pressure diesel fuel systems • Includes ten quick-connect fuel line adaptors and two pressure gauges for accurate readings
- (-1-5 bar and -1-15 bar)

1010

Cooling System Pressure Tester Vacuum Purge Kit 308500 Master 36 Piece

 Enables cooling system pressure testing, radiator cap pressure testing and cooling system purge and refill • Vacuum purge allows the evacuation of air pockets in cooling

system after service or

repairs



\$**79**.00

Diesel Fuel Injection Pump Socket Kit 307352 5 Piece

- Specialty socket set kit to assist with the disassemble
- and repair of Bosch VE, VP EDC TDI & CR VP 37 Injection pumps
- 1/2" Square Drive Sockets

O.00

Wheel Stud **Installer Kit**

- 309251 • Easily install wheel studs Self-centering bearing
- and nuts avoid misalignment Sizes: 7/16" x 20,
- 1/2" 20 UNF, M12 x 1.25, M12 x 1.5, M12 x 1.75, M14 x 1.5

Disc Brake & Tyre Depth Gauge 310020 0-60mm Measure brake disc thickness

- or tyre tread depth
- disc while retaining reading



89

Cylinder

Bore Gauge

worn oil pumps

and 90° elbow

Supplied in a heavy duty case

(0)()

- 304998 50-160mm 18 Piece • Professional tool for measuring internal diameter of
- cylinder bores
- Essential for engine rebuilding and modifications • Check for taper, out of round and oversize measurements



Cooling System Tester Truck 308380 Tapered Adaptor 5 Piece

- Universal cooling system tester set suitable for heavy vehicle applications including four expandable tapered
- adaptors and pressure pump Pressure pump ranges from 0-35psi (0-2.5bar)
- Adaptor sizes: 17-35mm, 26.5-41mm, 37-50mm & 47-60mm



- Floating jaw enables to be removed from
- Robust aluminium construction



Oil Drain Plug Socket Set

.00

- 305398 18 Piece • Universal oil drain plug set ideal for servicing
- transmissions, transfer cases, differentials, oil reservoirs
- 3/8" Square drive sockets • Overall Socket Lengths: 36mm

2.00

Antifreeze Tester

- 308499 Ethylene Glycol • Designed for testing ethylene glycol based coolant and also suitable for OAT (Organic
- Acid Technology) antifreeze Temperature range: -37°C to -7°C





Suits 8 - 24mm washers



HOT TOOL SPECIALS FAMOUS TOLEDO EXCELLENCE BY DESIGN

AUTOMOTIVE · AUTOMOTIVE



Brake Spring Pliers 310257 Heavy Duty

- Used to remove and install brake shoe retaining springs on most drum brakes (where the return spring hooks over a post)
- Socket end removes spring from anchor stud and notched end installs spring on anchor

\$34.00 NEW!

- Brake Pin Punch Set 310275 2 Piece • Removes brake pad retaining pins without damaging caliper
- Size: Ø 5.5mm & Ø 6mm
- Overall Lengths: 165mm

\$169^{.00} NEW!

• Effectively remove Pitman arms

• Spread: 25-50mm

• Reach: 58mm

Pitman Arm Spreader 311028



ງ.00

Brake Pad Lining

Thickness Gauge

 Professional brake lining thickness gauge Manufactured from heavy duty plastic (ABS) to prevent any scratching or damage Blades marked in Metric and Imperial (301308)

\$**89**.00

Brake Caliper Ratchet Tool 310377 40 - 65mm

- Easily retracts the brake piston during brake pad replacement • Ideal for use on single, twin and quad piston fixed or floating type calipers
- Applications include: ATE / Bendix / Delco / Brembo and Girling calipers



0

\$94^{.00} NEW!

Strut Nut Socket Set 311027 8pc

- Disassembles front and rear suspension struts • Features three Macpherson strut nut tools
- Special top nut sockets for popular VAG models



.00 NEW



Pipe/Tube Bender 320990 425mm

- Bends copper, brass, aluminium and mild steel
- tubing • Knurled handles for maximum
- grip and comfort
- Sizes: 1/4", 5/16", 3/8", 1/2" and 5/8
- Overall Length: 425mm

321853 Pass Through

• Fits over hoses up to a capacity of 50mm

• Overall Length: 350mm • Jaw Capacity: 0-125mm

\$**39**.00



- 305021 3 Jaw • Adjustable 3 jaw oil filter remover suitable
- Includes 1/2" to 3/8" square drive reducer adaptor
- Suitable for loosening and tightening oil filters

FAMOUS

TOLEDO EXCELLENCE BY DESIGN



for 60-120mm diameter filters





Brake Bleeder & Fluid Extractor 310005 1 Litre • Air operated brake bleeder simplifies bleeding of brake and clutch systems in automotive applications





FAMOUS TOLEDO EXCELLENCE BY DESIGN HOT TOOOL SPECIALS





4

FAMOUS TOLEDO EXCELLENCE BY DESIGN

hoses

• Overall length: 200mm

HOT TOOL SPECIALS TOLEDO EXCELLENCE BY DESIGN

GENERAL TOOLS · GENERAL TOOLS



Spray Cleaning Gun Flexible Head 305165 Pneumatic 1 Litre

- Air operated cleaning gun for degreasing and cleaning parts
- Flexible head allows for deep cleaning in hard to reach areas and crevasses



\$**qq**.00

surfaces



TOLEDO

PRICE

\$49.00

\$69.00

\$89.00

\$189.00

\$259.00

\$499.00



321027 Strike Thru 4 Piece

- Strike-thru design with heavy duty steel end cap allows continuous blows without flaring handle
- Slip resistance handles manufactured from PVC with rubber moulded grips
- Length: 200, 300, 450, 600mm

Q.00

Twin Pull Puller Kit

• Special puller for the removal

\$17.00

Pick & Hook **Set Miniature** 301043 4 Piece Ideal for scraping, scribing, marking,

\$**699**.00

Yoke Puller Kit

245504 Heavy Duty



picking and seal removal Contents: hook, scratch awl straight, pick 45° & 90°



FAMOUS

 Inlet: 1/4"-18NPT PULLERS & BEARING SERVICE • PULLERS & BEARING SERVICE · PULLERS & BEARING SERVICE · **PULLERS & BEARING SERVICE**



- The force of the impact shocks and loosens the cone
- washers free, allowing the axle shaft to be released with ease

321085

Master Bearing Race & Seal Drivers

• Universal tool for replacing race seat, bearings and seals

PRICE

\$199.00

\$249.00

• Aluminium body with hardened steel striking cap

• Heavy duty heat treated steel Overall length: 260mm

> -00

Simply twist head to adjust jaw size

9.5-50mm

18-90mm

00

Part No.

321084

321085

Capacity

1 Tonne

2 Tonn

5 Tonne

7 Tonn

9 Tonne

13 Tonne





227020 Large

 Bearing Ranges: 6021 - 6032, 6212 - 6230, 6309 - 6321, 6406 - 6417

\$1499^{.00}

Heavy Duty Puller Kit

- 265022 22 Tonne Hydraulic • Suitable for internal and external applications
- 22 Tonne hydraulic ram for extra heavy duty applications where a large force
- is required
- Spread: 270 570mm
- Reach: 300mm



\$1**49**.00 NEW!

Slide Hammer Puller Assembly 269014 490mm

- Ideal for removing bearing cups,
- outer races and oil seals
- Puller reach: 55mm • Puller spread: 13-60mm
- Hammer weight: 2.3kg







Heavy Duty Bearing Packer 305161 170m

- Suitable for heavy vehicle
- and industrial applications
- Grease is filled with grease gun via centre grease nipple
- Suits bearings with an outside diameter of
- 120 170mm
- Weight: 5.8kg

TOLEDO



- industries etc. • Twin and triple head set
- up with 10 tonne hydraulic ram and nose piece
- Spread: 75-150mm • Reach: 200mm

Capacity: 10 Tonnes



Bearing & Seal Installer Kit 301540 20 Piece

Comprehensive complete kit allows installation of bearing

5

- race and seals without damage Set includes 3 drivers and 16 adaptors ranging from
- 9.5mm 35mm (3/8" to 1 3/8")

Heavy Duty Grease

Filler Disnenser 305155

- Forces out old grease from bearings and evenly replaces with fresh grease • Simply sits on top of a
- 20kg grease drum for
- mess free operation • Suits bearings from
- 100mm to 200mm in diameter

pulleys, crankshaft pulleys • Suitable for automotive and industrial applications • Size: M6 x 1.0, M7 x 1.0, M8 x 1.25

Portable Bearing Packer 305150 95m

- Simply insert bearing in the bearing packer, connect grease gun to nipple and
- evenly replaced with fresh grease • Bearing range:





- old grease is forced out and

TOLEDO

FAMOUS TOLEDO EXCELLENCE BY DESIGN



Sprocket Puller

304511 Universal • Universal puller for removing steering wheels, camshaft

FAMOUS TOLEDO EXCELLENCE BY DESIGN HOT TOOOL SPECALS





HOTTOOL SPECIALS FAMOUS TOLEDO

LUBRICATION SERVICE · LUBRICATION SERVICE · LUBRICATION SERVICE · LUBRICATION SERVICE · LUBRICATION SERVICE



TOLEDO EXCELLENCE BY DESIGN

FAMOUS TOLEDO EXCELLENCE BY DESIGN HOT TOOOL SPECIALS





HOT TOOL SPECIALS FAMOUS TOLEDO EXCELLENCE BY DESIGN

ENGINEERING · ENGINEERING

\$19.00 NEW!

Taper Gauges

- Used to measure internal diameters. Ideal for measuring gaps, slot widths, hole or bore sizes and flange face to face dimensions
- Made in Japan

Part No.	Material	Range	Accuracy	PRICE
700AB	ABS resin	1-15mm	-/+ 0.2mm	\$19.00
700AD	Stainless steel dual blade	1-15mm	-/+ 0.5mm	\$59.00
700AM	Stainless steel	1-15mm	-/+ 0.5mm	\$49.00
700AR	Stainless steel dual blade	0-15mm	-/+ 0.5mm	\$59.00







Precision Measuring Set

- 321904 6 Piece Stainless Steel
- Heat treated and hardened stainless steel with photographically etched markings
- Satin chrome finish with photographically etched markings
- Accurate to Japanese Industrial Standard

Made in Japan

Contents

Mini Square Metric 300 x 150mm, Protractor 180°, Scriber - Pen Style with Pocket Clip, Spring Divider -Solid Nut 150mm, Stainless Steel Single Sided Rule Metric 300mm, Taper Gauge with hanger hole 1–15mm



ariting

'u'

m.

10⁻ 103

10

\$109.00

Combination Set 322210

- Versatile and useful multi-application set for a wide range of measuring and lay out jobs
 Suitable for use as a rule, spirit level, plumb level, 45° level,
- try square (internal and external), height/depth gauge, marking gauge and scriber







Stainless Steel Rules

- Manufactured from stainless steel
- Accurate to Japanese Industrial Standard B 7516 grade one specifications
- The only Japanese manufactured rules that are certified by both JIS (Japan Industrial Standards) and JCSS (Japan Calibration Service System)
- Made in Japan

20 830 840850860 870 880 890 900 910 920 930 940 950 960 970 980 990 000 im TOLEDO

10 20 30 40 50 60 70 80 90 100 10 120 130 140 150 160 170 180 190 200 210 220 23

Double Sided Metric and Imperial One Square End, One Round End

Part No.	Lengt	h Wid	th	S	tyle		PRICE		
100036	100036 1000mm 35mm Metric & Imperial								
ingle Sided Metric ne Square End, One Round End									
e Square	End, One Ro	und End							
	End, One Ro Length	und End PRICE	Part	No.	Length		PRICE		
Part No.			Part 2000		Length 2000mm		PRICE \$369.00		

	68	50	intim.	10	30	20	10	*	0	10	20	30	40	50	60

Flush End z				
Part No.	Length	Width	Style	PRICE
321997	150mm	20mm	Metric	\$19.00
321998	300mm	28mm	Metric	\$37.00

Mini Squ			ind this par	\$1	4.00 FROM	NF	W!	169.02
etched marl accuracy an • Manufacture stainless ste	 Double sided photographically etched markings for ultimate accuracy and precision Manufactured from quality stainless steel to the strict standards of all Toledo rules 			FROM Sliding Bevels Professional sliding bevel to draw or scribe precise angles on most flat surfaces				Magnetic Base 322110 8mm 80kg • Professional measuring stand with
Part No.	lo. Length PRICE			 Suitable construct 	for metal f		, carpentry, ngineering	Some state Some state Some state S
301959	150 x 75mm	\$21.00		applications Made in Japan 				vibration-free use • Dual pivot joints for versatile
321015	21015 300 x 150mm \$23.00							positioning
		12	in fi	Part No.	Length	Width	PRICE	Fine adjustment clamp for precise measurements
		the second		322019	200mm	25mm	\$44.00	Attaches to flat or round surfaces Ideal for milling machines, lathes, and
		To 1. 8 1 1. 1. 1.		322020	250mm	25mm	\$54.00	similar equipment



FAMOUS TOLEDO EXCELLENCE BY DESIGN HOT TOOOL SPECIALS



FAMOUS

TOLEDO EXCELLENCE BY DESIG

HOTTOOL SPECIALS FAMOUS TOLEDOEXCELLENCE BY DESIGN

CONSTRUCTION · CONSTRUCTION · CONSTRUCTION · CONSTRUCTION · CONSTRUCTION · CONSTRUCTION



FAMOUS TOLEDO EXCELLENCE BY DESIGN

16mm

10mm

316005

900mm (36")

\$159.00

latch for single handed operation
Steel wire rope: 5mm (3/16")

Cutting capacity: 1.5mm (1/16")

HOT TOOL SPECIALS FAMOUS OLEDO EXCELLENCE BY DESIGN





- Caliper Hanging Hooks 310307 2 Piece
- Ideal for mounting brake caliper for service and
- maintenance PVC dipped hooks avoid scratching and scuffing
- painted surfaces
- Thickness: Ø76mm • Overall Length: 210mm



- Suitable for GM and Ford models
- Eliminates removal of radiator and fan
- Puller leg design securely grips the back of the pulley Manufactured from heavy duty steel finished in black







Cranked Feeler Gauge 303198 14 Blade Metric

- Ideal for intake and exhaust valve adjustments • Suits HGV engine brake systems also known as Jake
- **Brake Gauges**
- Suitable for Volvo and Mack trucks
- 0.2mm, 0.3mm, 0.5mm, 0.6mm, 0.8mm, 1.0mm, 0.045", 1.6mm, 2.0mm, 2.3mm, 2.5mm, 3.5mm, 3.6mm, 4.2mm

\$**499**.00

Transmission Filling Kit 306991 Manual 6 Litre

- Versatile kit enables rapid and effective transmission refills and top-ups
- Includes compatible adaptors for widely used make and models available in Australia and New Zealand, as well as universal
- adaptors Kit contains Mercedes Benz 9G-Tronic transmission drain/refill tools and filling funnel
- Fills manual/automatic transmissions, transfer cases and differentials
- Application list and user guide

\$79.00 NEW!

Air Blow Gun 321504 Tube Cleaner 600mm

- Suitable for confined cleaning in the engine
- compartment or chassis • Utilises compressed air to remove dust and debris
- Five port nozzle air outlet design
- Includes guick connect airline fitting
- Heavy duty stainless steel tube











\$149^{.00}

Adjustable

315160 35-120mm

pin style • Size range: 35-120mm

C-Hook Wrench Set

any notched or multi-faced tool

• Used to tighten, loosen or hold machinery components such as retaining rings, couplings, or

• Adjustable head enables coverage of a wider size

range and interchangable heads for both hook and

Electro Mechanical Cutters PC6 150mm

- Hardened precision cutting edges for cutting and twisting soft wire
- For use in fine electrical and electronics applications
- Light weight tool with low friction spring return • High carbon steel for superior strength and durability
- Jaw length: 20mm
- Jaw opening: 0-20mm • Cut type: Flush

0188-25. Prices valid 1 July to 30 September 2025. Prices include GST. Please refer to the relevant Tridon catalogues for more comprehensive product information.

As participating stores are independent businesses, they reserve the right to set their own selling prices. Pricing throughout this publication is the recommended trade price and may vary from store to store. Every effort has been made to ensure stocks are available at the time of printing. Should any item not be in stock on placement of orders, stores will endeavour to procure those published items. Product images are for illustration purposes only. Produced by Tridon Australia Pty Ltd ACN 001 398 698 ABN 90 001 398 698



AVAILABLE 1 JULY - 30 SEPTEMBER 2025 · ALL PRICES INCLUDE GST

6mm (1/4") 600mm 90PSI (6.2 bar)

\$**59**.00

identification

